

## 1.3a SEWER PVC pipes. Compact wall

Application: Systems for underground drainage and sewerage:  
 → non-pressure according EN 1401  
 → and under pressure according EN ISO 1452(P)

Joint System: Integrated socket. Elastomeric sealing ring

Marking: According to specification

Color: Orange-Brown-Tile

Availability: Bars of 6m for all DN's



DN/OD mm	SN 2 kN/m <sup>2</sup>		SN 4 kN/m <sup>2</sup>		U/P Pipes per palet
	Thickness mm	Price €/m	Thickness mm	Price €/m	
110	-	-	3.2	4,78	76
125	-	-	3.2	5,45	60
160	3.2	6,42	4.0	7,47	33
200	3.9	9,63	4.9	11,41	20
250	4.9	15,05	6.2	18,05	12
315	6.2	24,01	7.7	28,06	7
400	7.9	38,52	9.8	45,19	5
500	9.8	65,30	12.3	77,96	2
630	12.3	112,23	15.4	139,45	3
800	15.7	181,27	19.6	224,86	2

Table keys: e = thickness, DN /OD= outside diameter (External diameter). u / p: Number of tubes per pallet

\* PN= Nominal Pressure      \* SN= Stiffness Nominal

*\* The pipes for sanitation with pressure are supplied in accordance with the UNE-EN ISO 1452 in gray color. In color tile consult us please.*

TUBERIAS PLASTICAS REUNIDAS, SL.

Address: Calle Las Palmas N°14.  
 CP 28937.Móstoles. Madrid (SPAIN)

E-mail: [operaciones@tuberiasplasticasreunidas.com](mailto:operaciones@tuberiasplasticasreunidas.com)  
 Phone: +34 238 50 80 // +34 666463791

## 1.3b SEWER PVC pipes. Foam core Pipes.

Application: Systems for underground drainage and sewerage:  
→ non-pressure according UNE-EN 13476

Joint System: Integrated socket. Elastomeric sealing ring

Marking: According to specification

Color: Orange-Brown-Tile

Availability: Bars of 6m for all DN's



DN/OD mm	SN 4 kN/m <sup>2</sup>		U/P Pipes per pallet
	Tile-orange Color		
	Thickness mm	Price €/m	
160	4.0	6,87	33
200	4.9	10,50	20
315	7.7	25,82	7
400	9.8	41,57	6

Table keys: e = thickness, DN /OD= outside diameter (External diameter). u / p: Number of tubes per pallet

\* SN= Stiffness Nominal - To consult price and conditions for **SN-8** pipes

## 1.3c SEWER PVC Pipe. Double corrugated wall

Application: Systems for underground drainage and sewerage:  
→ non-pressure according UNE-EN 13476

Joint System: Elastomeric sealing ring  
Marking: According to specification  
Color: Orange-Brown-Tile  
Availability: Bars of 6m for all DN's



### STIFFNESS SN-8

DN/OD mm	DN/ID mm	DN/OD union cup mm	Price €/m
160	146,00	182,00	13,32
200	182,00	228,00	17,64
250	227,50	284,00	28,56
315	285,20	358,00	38,46
400	364,00	448,00	62,92
500	451,80	563,00	112,45
630	590,00	734,00	123,12
800	775,00	954,00	203,20
1000	970,00	1222,00	295,75
1200	1102,00	1379,00	413,25

Table keys: DN /OD= outside diameter (External diameter). DN/ID inside diameter

\* SN= Stiffness Nominal - To consult price and conditions for fitting and other supply format.

## 1.4a SOIL AND WASTE PVC pipes. Foam core U-PVC pipe– Series B solvent cemented

TUBERIAS PLASTICAS REUNIDAS, SL.

Address: Calle Las Palmas N°14.  
CP 28937.Móstoles. Madrid (SPAIN)

E-mail: [operaciones@tuberiasplasticasreunidas.com](mailto:operaciones@tuberiasplasticasreunidas.com)  
Phone: +34 238 50 80 // +34 666463791